

GEISTER®

The new
ergonomic
handle design.

Arthroscopy



The new ergonomic handle design for arthroscopy.

Geister arthroscopic hand instruments in new ergonomic design with integrated return spring offer you maximum control and flexibility in the application for technically demanding procedures.

Discover a completely new feel, stable management and contact-intensive. High strength and maximum power transmission ensures reliable foot mechanics. The extra flat foot shape simplifies access. A long-lasting sharpness guarantees functionality and cost. All instruments are means Luer-Lock flushing slightly flushed. All jaws are available with different shaft bends.

Make demanding procedures easier and safer, with a comprehensive range of high-precision Geister arthroscopic hand instruments is now possible - just ask!

New ergonomic design with integrated spring offers maximum control and flexibility.

Stable management and contact-intensive.





GEISTER®

The new ergonomic handle design.

Arthroscopy

With Luer-Lock flushing function.



Grasping Forceps with optional ratchet.





Ø3,4 mm

Art. No. 35-53xx.xx 35-52xx.xx

Ø2,8 mm

Art. No. 35-5xxx.00

Curved vertical





Geister Hook Punch

Ø3,4
mm

Cut 5 x 1,6 mm, with scoop

Curved vertical

15°△ 7°△ 0° 7°▽ 15°▽

Art. No. 35-5301.02 35-5301.01 35-5301.00 35-5301.05 35-5301.06

Curved horizontal

45°◁ 30°◁ 30°▷ 45°▷

35-5301.16 35-5301.15 35-5301.11 35-5301.12

Ø2,8
mm

Cut 4 x 1,2 mm, with scoop

Curved vertical

15°△ 7°△ 0° 7°▽ 15°▽

Art. No. 35-5201.02 35-5201.01 35-5201.00 35-5201.05 35-5201.06

Curved horizontal

45°◁ 30°◁ 30°▷ 45°▷

35-5201.16 35-5201.15 35-5201.11 35-5201.12



Geister Hook Punch, upbiter

Ø3,4
mm

Cut 5 x 1,6 mm with scoop

Curved vertical

15°△ 7°△ 0° 7°▽ 15°▽

Art. No. 35-5302.02 35-5302.01 35-5302.00 35-5302.05 35-5302.06

Curved horizontal

45°◁ 30°◁ 30°▷ 45°▷

35-5302.16 35-5302.15 35-5302.11 35-5302.12

Ø2,8
mm

Cut 4 x 1,2 mm, with scoop

Curved vertical

15°△ 7°△ 0° 7°▽ 15°▽

Art. No. 35-5202.02 35-5202.01 35-5202.00 35-5202.05 35-5202.06

Curved horizontal

45°◁ 30°◁ 30°▷ 45°▷

35-5202.16 35-5202.15 35-5202.11 35-5202.12



Geister Hook Punch

Ø3,4
mm

Cut 5 x 1,6 mm, blunt

Curved vertical

15°△ 7°△ 0° 7°▽ 15°▽

Art. No. 35-5303.02 35-5303.01 35-5303.00 35-5303.05 35-5303.06

Curved horizontal

45°◁ 30°◁ 30°▷ 45°▷

35-5303.16 35-5303.15 35-5303.11 35-5303.12

Ø2,8
mm

Cut 4 x 1,2 mm, blunt

Curved vertical

15°△ 7°△ 0° 7°▽ 15°▽

Art. No. 35-5203.02 35-5203.01 35-5203.00 35-5203.05 35-5203.06

Curved horizontal

45°◁ 30°◁ 30°▷ 45°▷

35-5203.16 35-5203.15 35-5203.11 35-5203.12



Geister Hook Punch, upbiter

Ø3,4
mm

Cut 5 x 1,6 mm, blunt

Curved vertical

15°△ 7°△ 0° 7°▽ 15°▽

Art. No. 35-5304.02 35-5304.01 35-5304.00 35-5304.05 35-5304.06

Curved horizontal

45°◁ 30°◁ 30°▷ 45°▷

35-5304.16 35-5304.15 35-5304.11 35-5304.12

Ø2,8
mm

Cut 4 x 1,2 mm, blunt

Curved vertical

15°△ 7°△ 0° 7°▽ 15°▽

Art. No. 35-5204.02 35-5204.01 35-5204.00 35-5204.05 35-5204.06

Curved horizontal

45°◁ 30°◁ 30°▷ 45°▷

35-5204.16 35-5204.15 35-5204.11 35-5204.12



Geister Oval Punch

Cut 6,5 x 4,5 mm

Curved vertical

Ø3,4
mm

Art. No.

15°△	7°△	0°	7°▽	15°▽
35-5320.02	35-5320.01	35-5320.00	35-5320.05	35-5320.06

Curved horizontal

45°◁	30°◁	30°▷	45°▷
35-5320.16	35-5320.15	35-5320.11	35-5320.12



Geister Oval Punch, upbiter

Cut 6,5 x 4,5 mm

Curved vertical

Ø3,4
mm

Art. No.

15°△	7°△	0°	7°▽	15°▽
35-5319.02	35-5319.01	35-5319.00	35-5319.05	35-5319.06

Curved horizontal

45°◁	30°◁	30°▷	45°▷
35-5319.16	35-5319.15	35-5319.11	35-5319.12



Geister Hook Scissors

Curved vertical

Ø3,4
mm

Art. No.

15°△	7°△	0°	7°▽	15°▽
35-5307.02	35-5307.01	35-5307.00	35-5307.05	35-5307.06

Curved horizontal

45°◁	30°◁	30°▷	45°▷
35-5307.16	35-5307.15	35-5307.11	35-5307.12

Curved vertical

Ø2,8
mm

Art. No.

15°△	7°△	0°	7°▽	15°▽
35-5207.02	35-5207.01	35-5207.00	35-5207.05	35-5207.06

Curved horizontal

45°◁	30°◁	30°▷	45°▷
35-5207.16	35-5207.15	35-5207.11	35-5207.12



Geister Punch Scissors

Cut 0,8 x 5,5 mm

Curved vertical

Ø3,4
mm

Art. No.

15°△	7°△	0°	7°▽	15°▽
35-5308.02	35-5308.01	35-5308.00	35-5308.05	35-5308.06

Curved horizontal

45°◁	30°◁	30°▷	45°▷
35-5308.16	35-5308.15	35-5308.11	35-5308.12

Ø3,4
mm

Geister Duckbill Punch

Small, cut 4 x 2,5 mm

Curved vertical



Art. No.

15°△	7°△	0°	7°▽	15°▽
35-5321.02	35-5321.01	35-5321.00	35-5321.05	35-5321.06

Curved horizontal

45°◁	30°◁	30°▷	45°▷
35-5321.16	35-5321.15	35-5321.11	35-5321.12

Medium, cut 5 x 3,5 mm

Curved vertical



Art. No.

15°△	7°△	0°	7°▽	15°▽
35-5322.02	35-5322.01	35-5322.00	35-5322.05	35-5322.06

Curved horizontal

45°◁	30°◁	30°▷	45°▷
35-5322.16	35-5322.15	35-5322.11	35-5322.12

Large, cut 6 x 4,5 mm

Curved vertical



Art. No.

15°△	7°△	0°	7°▽	15°▽
35-5323.02	35-5323.01	35-5323.00	35-5323.05	35-5323.06

Curved horizontal

45°◁	30°◁	30°▷	45°▷
35-5323.16	35-5323.15	35-5323.11	35-5323.12

Ø3,4
mm

Geister Duckbill Punch, upbiter

Small, cut 4 x 2,5 mm

Curved vertical



Art. No.

15°△	7°△	0°	7°▽	15°▽
35-5324.02	35-5324.01	35-5324.00	35-5324.05	35-5324.06

Curved horizontal

45°◁	30°◁	30°▷	45°▷
35-5324.16	35-5324.15	35-5324.11	35-5324.12

Medium, cut 5 x 3,5 mm

Curved vertical



Art. No.

15°△	7°△	0°	7°▽	15°▽
35-5325.02	35-5325.01	35-5325.00	35-5325.05	35-5325.06

Curved horizontal

45°◁	30°◁	30°▷	45°▷
35-5325.16	35-5325.15	35-5325.11	35-5325.12

Large, cut 6 x 4,5 mm, blunt

Curved vertical



Art. No.

15°△	7°△	0°	7°▽	15°▽
35-5326.02	35-5326.01	35-5326.00	35-5326.05	35-5326.06

Curved horizontal

45°◁	30°◁	30°▷	45°▷
35-5326.16	35-5326.15	35-5326.11	35-5326.12



Geister Retro Punch

Cut 3,8 x 2,4 mm, with scoop

Ø3,4
mm

cut right

Art. No. 35-5310.30



Geister Retro Punch

Cut 3,8 x 2,4 mm, with scoop

Ø3,4
mm

cut left

Art. No. 35-5310.31



Geister Punch

Cut 3,5 x 1,6 mm

with scoop

blunt

Ø3,4
mm

tip 45° curved right

tip 45° curved right

Art. No. 35-5311.34

35-5312.34



Geister Punch

Cut 3,5 x 1,6 mm

with scoop

blunt

Ø3,4
mm

tip 45° curved left

tip 45° curved left

Art. No. 35-5311.35

35-5312.35



Geister Punch

Cut 5 x 1,6 mm

with scoop

blunt

Ø3,4
mm

tip 90° curved right

tip 90° curved right

Art. No. 35-5315.36

35-5316.36



Geister Punch

Cut 5 x 1,6 mm

with scoop

blunt

Ø3,4
mm

tip 90° curved left

tip 90° curved left

Art. No. 35-5315.37

35-5316.37



Geister Grasping Forceps

1 x 2 teeth

Curved vertical

Ø3,4
mm

15°△	7°△	0°	7°▽	15°▽
Art. No. 35-5330.02	35-5330.01	35-5330.00	35-5330.05	35-5330.06
with ratchet • Art. No. 35-5330.52	35-5330.51	35-5330.50	35-5330.55	35-5330.56

Curved horizontal

45°◁	30°◁	30°▷	45°▷
35-5330.16	35-5330.15	35-5330.11	35-5330.12
35-5330.66	35-5330.65	35-5330.61	35-5330.62



Geister Grasping Forceps Alligator

Curved vertical

Ø3,4
mm

15°△	7°△	0°	7°▽	15°▽
Art. No. 35-5331.02	35-5331.01	35-5331.00	35-5331.05	35-5331.06
with ratchet • Art. No. 35-5331.52	35-5331.51	35-5331.50	35-5331.55	35-5331.56

Curved horizontal

45°◁	30°◁	30°▷	45°▷
35-5331.16	35-5331.15	35-5331.11	35-5331.12
35-5331.66	35-5331.65	35-5331.61	35-5331.62



Geister Biopsy and Grasping Forceps

Curved vertical

Ø3,4
mm

15°△	7°△	0°	7°▽	15°▽
Art. No. 35-5332.02	35-5332.01	35-5332.00	35-5332.05	35-5332.06
with ratchet • Art. No. 35-5332.52	35-5332.51	35-5332.50	35-5332.55	35-5332.56

Curved horizontal

45°◁	30°◁	30°▷	45°▷
35-5332.16	35-5332.15	35-5332.11	35-5332.12
35-5332.66	35-5332.65	35-5332.61	35-5332.62

Arthroscopes

Compatibility

Instrument port:
Storz®, Wolf®*

Light port adaptor:
ACMI®, Wolf®, Storz®/Olympus®*

Eyepiece:
Ocular according
DIN 58105 threaded.

Objective

Tension-free objective
composed-objective.

Image transmission

CAD-designed rod-lens system for
optimal sharpness, colorsync and
resolution.

Light-guiding system

High quality light fibres.

Optical glass


Distal and proximal Sapphire.

Biocompatibility

All materials that come in contact
with the body are biocompatible.
All metals parts are made of high
quality stainless steel.

Sterilization

Autoclavable,
max. 134° C / 2,2 bar / 5 min.



Ø 2,7
mm

Arthroscope

Direction of view	0°	30°	70°
working length mm	110	110	110
Art. No.	34-0500.00	34-0500.30	34-0500.70
working length mm	187,5	187,5	187,5
Art. No.	34-0510.00	34-0510.30	34-0510.70

Ø 4,0
mm

Arthroscope

Direction of view	0°	30°	70°
working length mm	175,0	175,5	176,0
Art. No.	34-0520.00	34-0520.30	34-0520.70



*Trademarks property of their respective trademark owner.

Art. No 34-0510.30

GEISTER®



GEISTER Medizintechnik GmbH
Föhrenstrasse 2
D-78532 Tuttlingen

Fon: +49 (0) 7461 / 966 24-0
Fax: +49 (0) 7461 / 966 24-22

www.geister.com
info@geister.com